

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S33	0	"freund.in"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:01
S34	23	ecu and fsm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:01
S35	41930	architecture same hardware same software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:02
S36	13952	S35 and electrical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:02
S37	87	S36 and (electronic adj control adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:02
S38	94	S36 and (electr\$4 adj control adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:02
S39	5	S38 and (finite adj state adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 14:03

S40	71795	(electr\$4 adj control adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 16:00
S41	8	S40 and (use adj case)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 16:00
S42	7	(electr\$4 adj control adj unit) and hardware and software and architecture and map\$4 and zon\$4 and master and slave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 16:01
S43	19	(electr\$4 adj control adj unit) and hardware and software and architecture and (state with machine) and master and slave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 16:01
S44	16	("5189617" "5428535" "5544054" "5699250" "6052632").PN. OR ("6292718").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/07 16:03
S45	1854097	(automo\$4 vehic\$4).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:39
S46	37094	S45 and (electronic with control with unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:40
S47	1725	S46 and hardware and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:40
S48	850	S47 and wir\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:40

S49	516	S48 and rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:40
S50	304	S49 and (partition\$4 map \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:40
S51	202	S50 and architecture	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:40
S52	65865	(electronic adj control adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:42
S53	47	S52 and ((partition\$4 map \$4 divid\$4) with (hardware and software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/07 18:43
S54	180	(electronic adj control adj unit) and gui	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:23
S55	105	S54 and wir\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:23
S56	17	("20020095310" "20020186259" "20030007005" "20030231215" "5301336" "5861882" "5874964" "5884078" "5987246" "6282547" "6418391" "6425121" "6477486" "6493003" "6782331" "6810508"). PN. OR ("7076739").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/08 18:30

S57	14	("20040044990" "20050107998" "20060064294" "20060064669" "20060064670" "20060143579" "7085702").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:33
S58	1268	(electronic adj control adj unit) and (user with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:37
S59	624	S58 and wir\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:38
S60	525	S59 not S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:38
S61	365	S60 and state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:38
S62	0	S61 and network and sensor and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:38
S63	100	S61 and network and sensor and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:38
S64	5	("5452218" "5740341" "6457165" "7107197" "7200537").PN. OR ("7441225").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/08 18:40
S65	16	("4653159" "4803778" "4939668" "5083369" "5138698" "5280569" "5506950" "5740341" "6272387" "6438435" "6457165" "6625299" "6867768").PN. OR ("7200537").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/08 18:40

S66	370	(electronic adj control adj unit) and (vehicle automotive automobile) and interface and state and wir\$4 and network and sensor and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:44
S67	287	S66 not S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:44
S68	177	S67 and rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:44
S69	175	S68 and connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:45
S70	403	(electronic adj control adj unit) and interface and state and wir\$4 and network and sensor and actuator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:47
S71	228	S70 not S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:47
S72	86	S71 and rout\$4 and connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:47
S73	856	(electronic adj control adj unit) and interface and state and wir\$4 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:48
S74	209	S73 and zon\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:49

S75	152	S74 and rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:49
S76	78	S75 and S69 not S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:49
S77	28	S75 not S69 not S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:49
S78	627	(specification design\$4) with electric\$2 with architecture	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:51
S79	155	S78 and (control with unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:51
S80	83	S79 and (wire wiring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:52
S81	63	S80 and state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:52
S82	29	reec with (design\$4 specification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:56
S83	83	S79 and (wire wiring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:56

S84	2168	(specification design\$4) with (electronic electric\$2) with architecture	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:57
S85	521	S84 and (control with unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:57
S86	259	S85 and (wire wiring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:57
S87	116	S86 and (vehicle automotive automobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:57
S88	417	S85 and interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:57
S89	99	S87 and interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 18:58
S90	160	S86 not S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 19:03
S91	682	interface with design with ((control with unit) ((electric\$2 electronic) with architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 19:05
S92	200	S91 and (wire wiring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/08 19:05

S93	56	("4748843" "4750123" "4751633" "5161106" "5163001" "5170352" "5187666" "5189617" "5280431" "5311430" "5367456" "5367665" "5490064" "5515382" "5579219" "5583844" "5602738" "5638272"). PN. OR ("5794165").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/08 19:07
S94	4424	(specify specification design \$4) with electric\$2 with control with unit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:21
S95	11227	(specify specification design \$4) with electric\$2 with control with (system module unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:22
S96	4279	S95 and (wire wiring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:22
S97	488	S96 and routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:22
S98	94	S96 and ((wire wiring) with (routing route))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:22
S99	338669	electric\$2 with control with (system module unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:23
S100	1666	S99 and ((wire wiring) with (routing route))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:24

S101	8	S100 and ((partition\$4 map \$4 divid\$4) with hardware with software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:24
S102	387	S100 and (hardware with software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:24
S103	16088	((design\$4 specify specification) with electrical).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:28
S104	163	S103 and ((wire wiring) same (route routing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:28
S105	395	((design\$4 specify specification) with electrical with wiring).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:31
S106	25	S105 and (route routing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:31
S107	379722	wiring.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:33
S108	303	S107 and hardware and software and routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:33
S109	3531	S107 and routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:33

S110	731	S109 and (rule constraint)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:33
S111	662	S110 and (block zone module partition\$4 group \$4 divid\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:33
S112	165	S111 and connector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:34
S113	0	("2003/0126576").URPN.	USPAT	OR	OFF	2010/08/09 17:36
S114	28	("20030079197" "20040078767" "20050080502" "20050183052" "4638442" "4875162" "5293479" "6110213" "6230403" "6272387" "6438435" "6457165" "6847853" "7107197"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:38
S115	213	((design\$4 specification model\$4) with wiring with harness).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:43
S116	29	S115 and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:43
S117	31	("4870594" "5440849" "5591528" "5671338"). PN. OR ("5793648").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/09 17:44
S118	6143	(design\$4 with control with system with vehicle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:46

S119	7098	(design\$4 with control with system with (automobile vehicle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:46
S120	808	S119 and wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:46
S121	138	S120 and routing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 17:46
S122	3	"7077099"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 18:05
S123	3	"7079999"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/09 18:05

EAST Search History (Interference)

< This search history is empty >

8/ 9/ 2010 8:39:54 PM**C:\ Documents and Settings\ spatel3\ My Documents\ EAST\ Workspaces\ 532089.wsp**